# **SAFETY DATA SHEET**



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

# SECTION 1: IDENTIFICATION

#### 1.1 PRODUCT IDENTIFIER

•

- ITEM NUMBER(S): 322302
- PRODUCT NAME: 1 GL: Pro Surface Floor Cleaner

#### 1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE

- **RECOMMENDED USE:** Floor cleaning and maintenance. •
  - IDENTIFIED USERS: For sale to, use and storage by service persons only.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- MANUFACTURER/ SUPPLIER:
- ADDRESS:
- **BUSINESS PHONE:**
- **EMERGENCY PHONE:**

WAXIE Sanitary Supply

9353 Waxie Way; San Diego, CA 92123-1036

- 1-800-995-4466
- 1-800-255-3924 (CHEMTEL; 24 hours)

#### **1.4 OTHER PERTINENT INFORMATION**

This product is sold and used in relatively small volumes. This SDS has been developed to address safety concerns affecting small volume handling situations and those involving warehouses and workplaces where large numbers of these items are stored or distributed.

# **SECTION 2: HAZARD IDENTIFICATION**

#### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### **OSHA/HCS Status**

Classification of the Substance or Acute toxicity, Oral (Category 5); Eye Irritation (Category 2B) Mixture

#### 2.2 LABEL ELEMENTS (suggested):

Hazard Pictograms Signal Word Hazard Statements	Not applicable. WARNING. May be harmful if swallowed. Causes eye irritation.
Precautionary Statements	
Prevention	Keep out of reach of children. Wash hands thoroughly after use. Wear eye protection/face protection and protective gloves.
Response	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Storage Disposal	None specified. See section 7 for details. None specified. See section 13 for details.

Pro Surface Floor Cleaner	WAXIE Sanitary Supply	SAFETY DATA SHEET
	Page 1 of 8	February 8, 2016

# SECTION 2: HAZARD IDENTIFICATION (Continued)

### 2.3 OTHER PERTINENT HAZARDS NOT OTHERWISE CLASSIFIED

• **OTHER POTENTIAL HEALTH EFFECTS:** Ingestion of large quantities may cause irritation, nausea, vomiting.

# SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 SUBSTANCES/MIXTURES

CHEMICAL	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR CHEMICAL	% (w/w)
Aspartic acid, N-(1,2-dicarboxyethyl)-, tetrasodium salt	144538-83-0	Not classified.	Proprietary <sup>1</sup>
Alcohol Ethoxylate	68439-46-3	Acute toxicity, Oral (Category 4); Serious eye damage (Category 1)	Proprietary
Quaternary ammoniumcompounds,benzyl-C12-16- alkyldimethyl, chlorides	68424-85-1	Acute toxicity, Oral (Category 4); Skin corrosion (Category 1B)	Proprietary
Dimethylmethyl(polyethylene oxide) siloxane	68937-54-2	Eye irritation (Category 2A)	Proprietary
Water and other components that are less than 1% in concentration within this solution. The remaining components of this product are not classified as hazardous in their existing concentrations.			Balance

# **SECTION 4: FIRST AID MEASURES**

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

AREA	EXPOSED
· · · · <b>—</b> · ·	

Eye ContactFlush with copious amounts of water for 15 minutes. "Roll" eyes during flush.<br/>Check for and remove contact lenses. Seek medical attention if irritation persists.Skin ContactFlush area with warm, running water for several minutes. Seek medical attention if<br/>irritation persists.InhalationObtain fresh air.<br/>If conscious only: Rinse mouth with water. Drink several cups of water. Do not<br/>induce vomiting. Contact a Poison Control Center or physician for instructions.

#### 4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

#### • ACUTE HEALTH EFFECTS:

AREA EXPOSED	
Eye Contact	Causes eye irritation.
Skin Contact	May cause mild skin irritation, depending on duration of contact.
Inhalation	May cause mild respiratory tract irritation; symptoms may include coughing and
	sneezing depending on volume of mist/spray inhaled.
Ingestion	May cause gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting if large volumes are ingested.

- CHRONIC HEALTH EFFECTS: Not applicable.
- TARGET ORGANS: Eyes.

#### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

- **GENERAL INFORMATION: For all exposures:** In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- RECOMMENDATIONS TO PHYSICIANS: Treat symptomatically.
- MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: None reported.

Pro Surface Floor Cleaner	WAXIE Sanitary Supply	SAFETY DATA SHEET
	Page 2 of 8	February 8, 2016

<sup>&</sup>lt;sup>1</sup> The exact percentage of composition has been withheld as a trade secret. All relevant physical and health hazards have been declared, in accordance with regulatory requirements.

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

- **RECOMMENDED FIRE EXTINGUISHING MEDIA:** Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, Halon, or any other.
- UNSUITABLE FIRE EXTINGUISHING MEDIA: None known.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

#### • NFPA FLAMMABILITY CLASSIFICATION:

**NFPA Rating** 



NFPA Classification Not flammable.

 UNUSUAL HAZARDS IN FIRE SITUATIONS: Decomposition Products

> Explosion Sensitivity to Mechanical Impact Explosion Sensitivity to Static Discharge

Carbon dioxide, carbon monoxide, nitrogen and silicon compounds, and irritating vapors.

ct Not applicable.

Not applicable.

5.3 ADVICE FOR FIREFIGHTERS

• Self-Contained Breathing Apparatus and full protective equipment for fire response should be worn in any situation. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Because this product is a cleaning agent, any equipment that comes in contact with this solution can be rinsed thoroughly with water and then returned to service.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- **RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases. Gloves and safety glasses must be worn when cleaning-up spills. Use caution during clean-up; contaminated floors and items may be slippery.
- **RESPONSE TO NON-INCIDENTAL RELEASES:** Generally, releases of this product will be no larger than the loss of one shipment of material. Subsequently, personnel can follow the instructions for incidental releases. As needed, respond to non-incidental chemical releases of this product (such as the simultaneous destruction of several pallets of this product) by clearing the impacted area and contacting appropriate emergency personnel.
- **RESPONSE PROCEDURES FOR ANY RELEASE:** Absorb spilled liquid with polypads or other suitable absorbent materials. Rinse area thoroughly. Because this product is a cleaning agent, all items that come in contact with the solution can be returned to service after rinsing.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

• Avoid response actions that can cause a release of a significant amount of product (more than 4 gallons) into the environment. Avoid accidental dispersal of spilled material into soil, waterways and sewers.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

• SPILL RESPONSE EQUIPMENT: Polypad or other absorbent material.

#### 6.4 REFERENCES TO OTHER SECTIONS

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- SECTION 13: For waste handling guidelines.

Pro Surface Floor Cleaner	WAXIE Sanitary Supply	SAFETY DATA SHEET
	Page 3 of 8	February 8, 2016

# SECTION 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

**Hygiene Practices** Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with eyes. Remove contaminated clothing promptly. Clean up spilled product immediately. **Handling Practices** Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES 7.2

Storage Practices

Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual liquid; therefore, empty containers should be handled with care. See Section 10 (Stability and Reactivity).

Incompatibilities

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

- AIRBORNE EXPOSURE LIMITS: Not established for chemicals listed in Section 3. .
- BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS: Not established.

#### 8.2 **EXPOSURE CONTROLS**

Engineering Controls	Use in well-ventilated environment.
<b>Respiratory Protection</b>	None needed in normal circumstances of use.
Hand Protection	Neoprene, PVC, or butyl gloves are recommended. Ensure gloves are intact prior
	to use.
Eye Protection	Safety glasses.
Body Protection	Standard protection used in janitorial service.

#### 8.3 PERSONAL PROTECTION SYMBOLS

Hand Protection



Eye Protection



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 **INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

Green colored liquid. Appearance Odor **Odor Threshold** pН Melting Point/Freezing Point **Initial Boiling Point/Boiling Range** Flash Point Evaporation Rate (Water = 1) Flammability **Upper/Lower Explosive Limits** Vapor Pressure Vapor Density **Relative Density (Density)** Solubility Partition Coefficient/noctanol/water Autoignition Temperature **Decomposition Temperature** Viscositv

Odorless. Not determined. 7-8 Approx. 0°C (32 °F). > 99°C (210 °F). Not applicable. Approx. 1.0. Not applicable. Not applicable. Not determined. Not determined. 1.012 (8.44 lb/gal) Completely soluble in water. Not determined. Not applicable. Not determined. Not determined.

(leeeen)	Not determined.	
Pro Surface Floor Cleaner	WAXIE Sanitary Supply	SAFETY DATA SHEET
	Page 4 of 8	February 8, 2016

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Continued)

#### 9.2 OTHER INFORMATION

- VOC (less water & exempt): Not applicable.
- WEIGHT% VOC: Not applicable.

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 REACTIVITY

• Not reactive under typical conditions of use or handling.

#### 10.2 CHEMICAL STABILITY

• Normally stable under standard temperatures and pressures.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive, water-reactive, or air-reactive.
- This product will not undergo hazardous polymerization.

#### 10.4 CONDITIONS TO AVOID

• Avoid contact with incompatible chemicals.

#### 10.5 INCOMPATIBLE MATERIALS

• Strong oxidizing agents, water reactive materials.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

• Thermal decomposition of this product generates oxides of carbon (i.e., carbon monoxide and carbon dioxide) as well as phosphorus and potassium compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

#### • ACUTE TOXICITY:

 TOXICOLOGY DATA: LD50 (Oral, rat, calculated) > 10,000 mg/kg. The following data are available for components of this product.

ASPARTIC ACID, N-(1,2-DICARBOXY-ETHYL)-, TETRASODIUM SALT

LD<sub>50</sub> (Oral, Rat) = 2,000 mg/kg

ALCOHOL ETHOXYLATE LD<sub>50</sub> (Oral, Rat) = 1,378 mg/kg QUATERNARY AMMONIUM COMPOUNDS

LD50 (oral, rat) = 426 mg/kg

DIMETHYLMETHYL(POLYETHYLENE OXIDE) SILOXANE

LD50 (oral, rat) >2000 mg/kg LD50 (dermal, rat) >2000 mg/kg

- **DEGREE OF IRRITATION:** Causes eye irritation. See Section 4 (First Aid Measures) for more details.
- o SENSITIZATION: No component is reported to cause respiratory or skin sensitization reactions.
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS BY ROUTE OF EXPOSURE:** See Section 2 (Hazards Information) and Section 4 (First Aid Measures) for additional details.

Eyes	Irritating to the eyes.
Skin	May be mildly irritating, depending on duration of exposure.
Inhalation	May cause mild respiratory tract irritation if mists are inhaled.
Ingestion	May cause gastrointestinal system irritation.

Pro Surface Floor Cleaner	WAXIE Sanitary Supply	SAFETY DATA SHEET
	Page 5 of 8	February 8, 2016

# SECTION 11: TOXICOLOGICAL INFORMATION

- CHRONIC TOXICITY:
  - **CARCINOGENICITY STATUS:** Not established for any component listed in Section 3.
  - **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure.
  - **MUTAGENIC EFFECTS:** The components of this product are not reported to cause mutagenic effects under typical circumstances of exposure.
  - SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE: Not applicable.
  - SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE: Not applicable.
  - **ASPIRATION HAZARD:** Not applicable.
- OTHER INFORMATION:
  - TOXICOLOGICALLY SYNERGISTIC PRODUCTS: None known.
  - **ADDITIONAL TOXICOLOGY:** Not applicable.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 <u>TOXICITY</u>

- Based on available data, this product may be harmful to contaminated terrestrial or aquatic plants or animals, depending on the volume released into the environment.
- The following aquatic toxicity data are available for components of this product.

ALCOHOL ETHOXYKATE LC50 Fathead Minnow (Pimephales promelas), 11000. μG/L, 96 H, Mortality, Water temperature: 22.00 °C

#### QUATERNARY AMMONIUM COMPOUNDS

LC50, Striped Bass (Morone saxatilis), fry, 14100.  $\mu G/L,$  96 hours, Mortality, Watertemperature: 12.00  $^{o}C,$  Hardness: 40.00 mg/L

#### 12.2 PERSISTENCE AND DEGRADABILITY

• When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

### 12.3 BIOACCUMULATIVE POTENTIAL

• This product is not anticipated to bioaccumulate significantly.

#### 12.4 MOBILITY IN SOIL

• It is to be expected this product will have some mobility in soil.

#### 12.5 OTHER ADVERSE EFFECTS

• None reported.

# SECTION 13: DISPOSAL CONSIDERATION

### 13.1 WASTE TREATMENT METHODS

• Dispose of in accordance with local, State and Federal regulations.

### 13.2 DISPOSAL CONSIDERATIONS

• EPA RCRA WASTE CODE: Not applicable.

Pro Surface Floor Cleaner	WAXIE Sanitary Supply	SAFETY DATA SHEET
	Page 6 of 8	February 8, 2016

# **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

#### DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status		
NOT APPLICABLE								

- **IATA DESIGNATION**: This product is not regulated as dangerous goods by the International Air Transport Association.
- **IMO DESIGNATION**: This product is not regulated as dangerous goods by the International Maritime Organization.

#### 14.2 ENVIRONMENTAL HAZARDS

• None described, as related to transportation.

# 14.3 SPECIAL PRECAUTIONS FOR USERS

Not applicable.

#### 14.4 TRANSPORT IN BULK

• Not applicable.

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

#### OTHER IMPORTANT U.S. REGULATIONS

- U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21): ACUTE: Yes; CHRONIC: No; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No
- U.S. CERCLA REPORTABLE QUANTITY (RQ): Not applicable.
- U.S. TSCA INVENTORY STATUS: All components of this product are listed on the TSCA Inventory.
- CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS: Not applicable.

#### INTERNATIONAL REGULATIONS

• **CANADIAN REGULATORY STATUS:** The product is not classified as hazardous under Canadian Controlled Products regulations (SOR-88-66).



- WHMIS 2015: See Section 2. Pre-2015 WHMIS: Classification: D2B Materials Causing Other Toxic Effects/Toxic
- This SDS contains all the information required by the CPR.
- CANADIAN DSL/NDSL INVENTORY STATUS: The listed components of this product are on the DSL/NDSL Inventory.
- CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: The components of this product are not on the CEPA Priorities Substances Lists.

### **SECTION 16: OTHER INFORMATION**

#### 161 INDICATION OF CHANGE

- DATE OF REVISION: February 8, 2016
- **SUPERCEDES**: February 2, 2016
- CHANGE INDICATED: Format revisions.

Pro Surface Floor Cleaner	WAXIE Sanitary Supply	SAFETY DATA SHEET
	Page 7 of 8	February 8, 2016

# SECTION 16: OTHER INFORMATION (Continued)

#### 16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- Federal OSHA Hazard Communication Standard: 29 CFR 1910.1200.
- RTECS Registry of Effects of Toxic Chemicals
- TOXNET http://toxnet.nlm.nih.gov/

#### 16.3 HAZARDOUS MATERIALS CLASSIFICATION SYSTEM

Product as SOLD					
Health	0				
Flammability	0				
Physical Hazard	0				
Protective Equipment	В				

HMIS Personal Protective Equipment Rating: Occupational Use situations: B - Safety glasses and gloves.

#### 16.4 DISCLAIMER

WAXIE Sanitary Supply makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by WAXIE Sanitary Supply as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does WAXIE Sanitary Supply assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. WAXIE Sanitary Supply does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

#### 16.5 ABBREVIATIONS AND ACRONYMS

**ALL SECTIONS:** <u>OSHA</u>: U.S. Federal Occupational Safety and Health Administration. <u>WHMIS</u>: Canadian Workplace Hazardous Materials Standard. <u>GHS</u>: Globally Harmonized System of Classification of Chemical Substances.

**SECTION 3:** <u>CAS Number</u>: Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

**SECTION 5:** <u>NFPA</u>: National Fire Protection Association. <u>NFPA</u> <u>FLAMMABILITY CLASSIFICATION</u>: The NFPA uses the flash point (FI.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: FI.P. below 73°F and BP below 100°F. Class IB: FI.P. below 73°F and BP at or above 100°F. Class IC: :FI.P. at or above 73°F and BP at or above 100°F. Class II: : FI.P. at or above 100°F and below 140°F. Class IIIA: FI.P. at or above 140°F and below 200°F. Class IIIB: FI.P. at or above 200°F. <u>NFPA HAZARDOUS MATERIALS RATING</u>: This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

**SECTION 8:** <u>NE</u>: Not established. <u>ACGIH</u>: American Conference of Government Industrial Hygienists; <u>TWA</u>: Time-Weighted Average (over an 8-hour work day); <u>STEL</u>: Short-Term Exposure Limit (15 minute average, no more than 4-times daily and each exposure separated by one-hour minimally); <u>C</u>: Ceiling Limit (concentration not to be exceeded in a work environment). <u>PEL</u>: Permissible Exposure Limit. <u>NIOSH</u>: National Institute of Occupational Safety and Health; <u>REL</u>: Recommended Exposure Limit; . <u>Ppm</u>: Parts per Million. <u>ma/m3</u>: Milligrams per cubic meter. <u>mppcf</u>: Millions of Particles per Cubic Foot. <u>BEI</u>: Biological Exposure Limit. <u>AIHA WEEL</u>: American Industrial Hygiene Association Workplace Environmental Exposure Levels.

SECTION 9: <u>pH</u>: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. <u>FLASH POINT</u>: Temperature at which a liquid generates enough flammable vapors so that ignition may occur. <u>AUTOIGNITION TEMPERATURE</u>: Temperature at which spontaneous ignition occurs. <u>LOWER EXPLOSIVE LIMIT (LEL)</u>: The minimal concentration of flammable vapors in air which will sustain ignition. <u>UPPER EXPLOSIVE LIMIT (UEL)</u>: The maximum concentration of flammable vapors in air which will sustain ignition. <u>VOC</u>: Volatile Organic Compound.

**SECTION 11:** <u>ATE</u>: Acute Toxicity Estimate, calculated for product. <u>CARCINOGENICITY STATUS</u>: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. <u>REPRODUCTIVE</u> <u>TOXICITY INFORMATION</u>: Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. <u>TOXICOLOGY DATA</u>: LDxxor LCxx: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (*xx*) of exposed test animals by the designate route of administration. This value is used to access the toxicity of chemical substances to humans. TDxxor TCxx: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (*xx*) of exposed test animals by the designate route of administration.

**SECTION 12:** <u>EC50</u>: Effect Concentration (on 50% of study group); <u>BOD</u>: Biological Oxygen Demand. <u>N/LOEC</u>: No/Lowest Observable Effect Concentration.

**SECTION 13:** <u>RCRA</u>: Resource Conservation and Recovery Act. The regulations promulgated under this act under Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. <u>EPA RCRA</u> <u>Waste Codes</u>: Defined in 40 CFR Section 261.

**SECTION 15:** <u>CERCLA</u>: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. <u>TSCA</u>: Toxic Substances Control Act: Rules regulating the manufacture and sale of chemicals found in 40 CFR 700-766. <u>DSL/NDSL</u>: Canadian Domestic Substances and Non-Domestic Substances Lists.

**SECTION 16:** <u>HAZARDOUS MATERIALS IDENTIFICATION SYSTEM</u> <u>RATING</u>: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.